

## AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions and listings of claims in the application.

### Listing of Claims:

1 (currently amended). A driving assembly of an ~~[[An]]~~ AV system for a vehicle having a tiltable monitor disposed at a front surface of a main body of the AV system, ~~the driving assembly comprising:~~

a low-surface chassis disposed at a lower end of the main body; and

a slide chassis mounted on the low-surface chassis ~~;~~ moving that moves a lower side of the monitor back and forth ~~;~~ ~~wherein a back-and-forth motion member for moving a motor part and the slide chassis back and forth, using power provided by the motor part, is mounted on the low-surface chassis. ;~~

a motor part mounted to the low-surface chassis; and

a back-and-forth motion member that moves the motor part and the slide chassis back and forth in response to a rotational force of the motor part.

2 (currently amended). The driving assembly ~~according to~~ of claim 1, wherein a connector is mounted on the motor part, and the connector is connected to a main printed circuit board and cable for controlling the motor.

3 (currently amended). The driving assembly ~~according to~~ of claim 1, wherein  
[[the]] a main printed circuit board is attached to the main body.

4 (currently amended). The driving assembly ~~according to~~ of claims 1, wherein  
the motor part comprises:

a motor;

a printed circuit board mounted with the connector ~~, being~~ that is attached to one  
end of the motor; and

a worm attached to ~~the other hand~~ a second end of the motor, for transferring  
power from the motor to the back-and-forth motion member.

5 (currently amended). The driving assembly ~~according to claims~~ of claim 2,  
wherein the motor part comprises:

a motor;

a printed circuit board mounted with the connector ~~, being~~ that is attached to one  
end of the motor; and

a worm attached to ~~the other hand~~ a second end of the motor, for transferring  
power from the motor to the back-and-forth motion member.

6 (currently amended). The driving assembly ~~according to claims~~ of claim 3,  
wherein the motor part comprises:

a motor;

a printed circuit board mounted with the connector ~~, being~~ that is attached to one end of the motor; and

a worm attached to ~~the other hand~~ a second end of the motor, for transferring power from the motor to the back-and-forth motion member.

7 (currently amended). The driving assembly ~~according to~~ of claim 4, wherein the back-and-forth motion member comprises:

a wormwheel ~~[[to be]]~~ engaged with the worm, and

a wheel, one end thereof being engaged with the wormwheel and ~~[[the]]~~ an other end thereof being engaged with a slide chassis.

8 (currently amended). The driving assembly ~~according to~~ of claim 4, wherein a bracket for supporting the motor part is further mounted on the low-surface chassis.

9 (currently amended). The driving assembly ~~according to~~ of claim 4, wherein at least one reinforcing bracket is further mounted on the slide chassis.

10 (currently amended). The driving assembly ~~according to~~ of claim 5, wherein the back-and-forth motion member comprises:

a wormwheel ~~[[to be]]~~ engaged with the worm, and

a wheel, one end thereof being engaged with the wormwheel and ~~[[the]]~~ an other end thereof being engaged with a slide chassis.

11 (currently amended). The driving assembly ~~according to~~ of claim 5, wherein a bracket for supporting the motor part is further mounted on the low-surface chassis.

12 (currently amended). The driving assembly ~~according to~~ of claim 5, wherein at least one reinforcing bracket is further mounted on the slide chassis.

13 (currently amended). The driving assembly ~~according to~~ of claim 6, wherein the back-and-forth motion member comprises:

a wormwheel ~~[[to be]]~~ engaged with the worm, and

a wheel, one end thereof being engaged with the wormwheel and ~~[[the]]~~ an other end thereof being engaged with a slide chassis.

14 (currently amended). The driving assembly ~~according to~~ of claim 6, wherein a bracket for supporting the motor part is further mounted on the low-surface chassis.

15 (currently amended). The driving assembly ~~according to~~ of claim 6, wherein at least one reinforcing bracket is further mounted on the slide chassis.

16 (new). A driving assembly of an AV system that includes a tiltable monitor, comprising:

a low-surface chassis disposed at a lower end of a main body;

a slide chassis mounted on the low-surface chassis that moves a lower side of the tiltable monitor back and forth; and

a back-and-forth motion member that moves a motor part mounted to the low-surface chassis and a slide chassis back and forth.

17 (new). The AV system of claim 16, wherein the back-and-forth motion member moves the motor part and the slide chassis in response to a rotational force of the motor part.

18 (new). The driving assembly of claim 16, further comprising at least one reinforcing bracket mounted on the slide chassis.

19 (new). The driving assembly of claim 1, wherein a main printed circuit board is attached to the main body.

20 (new). The driving assembly of claim 16, wherein the back-and-forth motion member comprises:

a wormwheel engaged with a worm that is attached to a motor to transfer power from the motor to the back-and-forth motion member; and

a wheel, one end thereof engaging the wormwheel, an other end thereof engaging the slide chassis.